L Number	Hits	Search Text	DB	Time stamp
-	2	("6295187").PN.	USPAT;	2003/03/14 13:31
			JPO;	
			DERWENT	
-	8	("5508866"   "5549978"   "5563752"   "5688380"   "5701222"	USPAT	2003/03/14 13:37
	205	"5701223"   "6117569"   "6127053").PN.	LICOAT	0000/00/44 40-00
-	365	29/603.07,603.13,603.14,603.27.ccls.	USPAT;	2003/03/14 13:38
			JPO; DERWENT	
	101	29/603.07,603.13,603.14,603.27.ccls. and sensor	USPAT;	2003/03/14 13:43
-	101	23/003.07,003.13,003.14,003.27.003. and sensor	JPO;	2003/03/14 13.43
			DERWENT	
1_	3	(29/603.07,603.13,603.14,603.27.ccls. and sensor) and (free	USPAT;	2003/03/14 13:49
		adj layer) and (pinned adj layer) and (pinning adj layer) and	JPO;	
		(spacer adj layer) and (coupl\$3 adj layer)	DERWENT	
-	3	("5214840"   "5465185"   "5772794").PN.	USPAT	2003/03/14 13:46
-	6	5974657.URPN.	USPAT	2003/03/14 13:47
-	159	360/324,325,326,327.ccls.	USPAT;	2003/03/14 13:49
			JPO;	
	_	•	DERWENT	
-	3	360/324,325,326,327.ccls. and (free adj layer) and (pinned adj	USPAT;	2003/03/14 15:07
]		layer) and (pinning adj layer) and (spacer adj layer) and	JPO:	
	_	(coupl\$3 adj layer)	DERWENT	2002/02/44 42:52
-	6	("3887944"   "5688380"   "5701223"   "5742458"   "5923504"	USPAT	2003/03/14 13:50
	7	"6038107").PN. (#5150513"   "5409377"   "5509967"   "5529440"   "5574605"	USPAT	2002/02/14 14:16
-	7	("5159513"   "5408377"   "5508867"   "5528440"   "5574605"   "5583725"   "5648885").PN.	USPAT	2003/03/14 14:16
1_	2	("5701223").PN.	USPAT;	2003/03/14 15:11
1	2	( 3701223 ).FN.	JPO;	2003/03/14 13.11
			DERWENT	
_	1	(( <sup>"</sup> 5701223").PN.) and lead	USPAT;	2003/03/14 15:11
	·	(( 0 10 1220 )	JPO;	
			DERWENT	
-	3675	29/603.07,603.11,603.13,603.14,603.15,603.16,603.17,605,606	.dd&PAT	2004/03/29 09:19
			JPO;	
		·	DERWENT	
-	0	360-324-327.ccls.	USPAT;	2004/03/29 09:19
		·	JPO;	
	745	000/004 007	DERWENT	0004/00/00 00 40
-	715	360/324-327.ccls.	USPAT;	2004/03/29 09:19
			JPO; DERWENT	
_	204	dual adj spin adj valve	USPAT;	2004/03/29 09:29
	204	duai adj spili adj valve	JPO;	2004/03/23 03.23
			DERWENT	
-	3675	29/603.07,603.11,603.13,603.14,603.15,603.16,603.17,605,606		2004/03/29 09:20
		or 360-324-327.ccls.	JPO;	22 22. 22. 20.20
			DERWENT	
-	7	(dual adj spin adj valve) and	USPAT;	2004/03/29 09:20
		(29/603.07,603.11,603.13,603.14,603.15,603.16,603.17,605,60	6. <b>de19</b> ;	
		or 360-324-327.ccls.)	DERWENT	
]	2	((dual adj spin adj valve) and	USPAT;	2004/03/29 09:24
		(29/603.07,603.11,603.13,603.14,603.15,603.16,603.17,605,60		
		or 360-324-327.ccls.)) and @ad<19991122	DERWENT	0004/00/00 00 00
-	0	hardayal-gill.in.	USPAT;	2004/03/29 09:22
		·	JPO;	
_	0	gill-hardayal.in.	DERWENT USPAT;	2004/03/20 00:22
-	3	yırınaruayarını.	JPO;	2004/03/29 09:22
]			DERWENT	
_	0	hardayal-singh.in.	USPAT;	2004/03/29 09:22
1	ĭ	= 2, 2, 3, 3,	JPO;	_00 00.20 00.22
			DERWENT	
-	0	singh-hardayal.in,	USPAT;	2004/03/29 09:22
	-	~ ,	JPO;	
			DERWENT	y.
			1	

	T		T	
-	171	hardayal.in.	USPAT;	2004/03/29 09:23
			JPO;	
			DERWENT	
-	143	hardayal.in. and singh	USPAT;	2004/03/29 09:23
			JPO;	
			DERWENT	
-	143	(hardayal.in. and singh) and gill	USPAT;	2004/03/29 09:23
			JPO;	
			DERWENT	
-	5942	singh.in.	USPAT;	2004/03/29 09:23
,			JPO;	
			DERWENT	
-	3271	gill.in.	USPAT;	2004/03/29 09:23
			JPO;	
			DERWENT	
-	9053	hardayal.in. or singh.in. or gill.in.	USPAT;	2004/03/29 09:24
			JPO;	
			DERWENT	
-	33	(dual adj spin adj valve) and ((hardayal.in. and singh) and gill)	USPAT;	2004/03/29 09:24
			JPO;	
	_		DERWENT	
-	6	((dual adj spin adj valve) and ((hardayal.in. and singh) and	USPAT;	2004/03/29 09:29
		gill)) and @ad<19991122	JPO;	
]			DERWENT	
-	2	("5583725"   "6134090").PN.	USPAT	2004/03/29 09:25
-	13	("4878140"   "5155643"   "5206590"   "5266786"   "5287238"	USPAT	2004/03/29 09:26
		"5315469"   "5406433"   "5408377"   "5442508"   "5452163"		
		"5465185"   "5508868"   "5576915").PN.		
-	10	dual adj spin adj valve	JPO	2004/03/29 09:29
-	4	(dual adj spin adj valve) and @ad<19991122	USPAT;	2004/03/29 09:29
			JPO;	
	-00		DERWENT	

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membe	rship	Public	ations/S	ervices	Stan
		<b>J</b>	Xni	lone	) ®
-			. 4	ELEASE 1.6	

dards Conferences Careers/Jobs

Welcome United States Patent and Trademark Office

HEID	AQ	1011113	reei	VEALE
41.45	A. 1877	IEEE VAL		

**Quick Links** 

» Se.

11019	1112	1011110	
Welco	me to	EEE Xpl	ore*
0	- Home	)	
0	What I Acc	Can	
	I Acc	ess?	
0	Log-c	ut	

Ministry &	11 2 2 2 2 2 E	Marie Color	0.30000000	100
	loc n	f Car		
	les o			
-	A		1000	

0	Journals & Magazines
	& Magazines

$\bigcirc$	Conference
	<b>Proceedings</b>

سند			
· •	Stan		
Parent.	131	пя	

Search	

0-	By	Author
0-	Ba	sic

## Aember Services

0	Join IEEE	
0	Establish IEEI	
	<b>Web Account</b>	

0-	Access the
	<b>IEEE Member</b>
	<b>Digital Library</b>

Your search matched 2 of 1015452 documents.

A maximum of 500 results are displayed, 15 to a page, sorted by Relevance **Descending** order.

#### **Refine This Search:**

You may refine your search by editing the current search expression or enteri new one in the text box.

magnetic head <and> (spin valve sensor) <and> (fre

☐ Check to search within this result set

#### **Results Key:**

JNL = Journal or Magazine CNF = Conference STD = Standard

# 1 A self-biased spin valve sensor with a longitudinally pinned layer

Suzuki, T.; Matsutera, H.;

Magnetics, IEEE Transactions on , Volume: 34 , Issue: 4 , July 1998

Pages:1501 - 1503

[Abstract] [PDF Full-Text (272 KB)]

### 2 Annealing effect on spin-valve sensor transfer curves

Redon, O.; Albuquerque, G.B.; Rodrigues, L.M.; Silva, F.I.; Freitas, P.P.; Magnetics, IEEE Transactions on , Volume: 34 , Issue: 2 , March 1998 Pages: 562 - 567

[Abstract] [PDF Full-Text (140 KB)]

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved

O- Establish IEEE Web Account

O Access the IEEE Member Digital Library

h

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



IEEE HOME   SEAHCH	TEEE I SHOP I WEB ACCOUNT I CONTACT IEEE
Membership Public	ations/Services Standards Conferences Careers/Jobs
	Welcome United States Patent and Trademark Office
Help FAQ Terms IEE	E Peer Review Quick Links S
Welcome to IEEE Xplore*  - Home - What Can I Access?	Your search matched <b>0</b> of <b>1015452</b> documents.  A maximum of <b>500</b> results are displayed, <b>15</b> to a page, sorted by <b>Relevant Descending</b> order.
O- Log-out	Refine This Search:
Tables of Contents	You may refine your search by editing the current search expression or ente new one in the text box.
O- Journals & Magazines	magnetic head <and> (dual spin valve sensor)  Search</and>
Conference Proceedings	Check to search within this result set
O- Standards	Results Key:  JNL = Journal or Magazine CNF = Conference STD = Standard
Search	
O- By Author O- Basic O- Advanced	Results: No documents matched your query.
Member Services	

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved